



TECHNICAL WASHING SOLUTIONS FOR LIGHT VEHICLES



WASHING



MAINTENANCE OF
STATIONS



TOPCOAT



EQUIPMENT



ORAPI

CLEAN & PROTECT TOGETHER

THE STRENGTH OF AN INDUSTRIAL GROUP

ORAPI's production and logistics are entrusted to those who constantly strive to enhance product quality and customer satisfaction, with one shared requirement: care of the environment.



RESEARCH AND DEVELOPMENT

A research laboratory and a regulatory department constantly designing and adapting formulas and labelling to the new regulatory chemical standards.

PRODUCTION PLANT

All our products are manufactured in our plant near Lyon. Our site is ISO 9001 and 14001 certified.



3

DISTRIBUTION

IN FRANCE AND ABROAD

Sales and technical teams, genuine local experts to respond to all your needs.

4

END USERS

ON THE INTERNATIONAL STAGE

More than 2 million users worldwide

CONTENTS


WASHING PRODUCTS FOR LIGHT VEHICLES

P. 3 to 6



PRODUCTS FOR STATION MAINTENANCE

P. 7 to 10



CAR CARE PRODUCTS

P. 11 to 12



EQUIPMENT

P. 13 to 16





WASHING PRODUCTS FOR

LIGHT VEHICLES

POWDERS

SUPERBOX PO 052LO

BODYWORK CLEANING POWDER

TRANSNET SUPERBOX PO is an alkaline powder for cleaning bodywork. Its surfactants effectively remove all dirt. Thanks to its sequestering power, it prevents the formation of scale (sequestration capacity: 50°f for 10g/l). TRANSNET SUPERBOX PO creates foam for cleaning the vehicle in a controlled and sparse way.

Service temperature : 40 to 50°C

Dosage : 2 to 3 g/l

Colour : White

Packaging :

REFERENCE	CONTAINING	PART
TN052I00108	bag	25 kg



SUPERBOX WP 053LO

WITHOUT PHOSPHATE

Powder detergent free of phosphates and complexing agents, for the washing of the bodies of VL in high pressure center. Fast dissolving, eliminates road film, insects, hydrocarbon traces...

Service temperature : 40 to 60°C

Dosage : 2 to 4 g/l

Packaging :

REFERENCE	CONTAINING	PART
TN053L00108	bag	25 kg



LIQUIDS

SUPERCREAM BOX 05120

BODYWORK SHAMPOO

TRANSNET SUPERCREAM is a foaming cleaner for vehicle bodywork. It benefits from the latest technological advances in the detergency sector. This bodywork shampoo is very effective and foaming, thanks to a combination of foaming surfactants, very low-tension surface-active agents and high detergent power

Service temperature : 50°C

Dosage : 100 %

Packaging :

REFERENCE	CONTAINING	PART
TN051200447	can	25 kg
TN051200450	keg	220 l



SUPERCREAM 050G0

BODYWORK SHAMPOO

TRANSNET SUPERCREAM is a highly concentrated foaming cleaner for vehicle bodywork. It benefits from the latest technological advances in the detergency sector. TRANSNET SUPERCREAM is very effective and foaming bodywork shampoo, thanks to a combination of foaming surfactants, very low-tension surface-active agents and high detergent power.

Service temperature : 50°C

Dosage : 30-60 ml

Packaging :

REFERENCE	CONTAINING	PART
TN050G00447	can	25 kg
TN050G00450	keg	240 kg



SCM 05169

SUPER DEGREASING AGENT

Foaming and very detergent bodywork shampoo. Particularly suitable for very dirty vehicles and parts.

Service temperature : < 50°C

Dosage : 3 to 8 % (bodyworks)

15 to 30 % (tarpaulins, chassis, engines)

Contact time : 3 to 5 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN051690441	jerrycan	5 kg
TN051690447	keg	25 kg
TN051690450	keg	230 kg
TN051690483	tank	1100 kg



PLATINIUM 05050

SUPERACTIVE BODYWORK SHAMPOO

TRANSNET PLATINIUM is a super-concentrated shampoo to easily remove road dirt and other types of dirt on bodywork (insects, grease, etc.) without altering paintwork and varnish or the equipments used to apply it. The strong formulation of TRANSNET PLATINIUM facilitates removal of all grease and dirt and produces a dense active foam that increases contact time and consequently its detergency.

Colour: Orange

Odour : Lemon

Packaging :

REFERENCE	CONTAINING	PART
TN050500447	jerrycan	25 kg
TN050500450	can	220 kg
TN050500483	tank	1050 kg



CLEAN 050D0

ALKALINE DETERGENT

TRANSNET CLEAN is a special shampoo for cleaning vehicles thanks to the synergy of three active ingredients:
-a pH regulator to prevent damage for the cleaned bodywork.

-an optimized mixture of surfactants that penetrates and thus facilitates the cleaning of grease or dirt.

-powerful chelating agents that avoid the drawbacks of water hardness.

TRANSNET CLEAN is particularly recommended for cleaning motorbikes in car washes. It is very easy to rinse with a minimal amount of water.

Service temperature : < 50°C

Dosage : 4 to 5% (spraying)

50 % (High pressure)

Contact time : 3 to 5 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN050D00447	can	25 kg
TN050D00450	keg	220 kg



FOAM 050B

FOAMING DETERGENT

TRANSNET FOAM is a highly concentrated antistatic shampoo. A balanced combination of various surfactants generates a controlled foam. It contains powerful agents that chelate the calcium and magnesium salts in the water and prevent limescale forming in the system. It is very easy to rinse with a minimal amount of cold or hot water. TRANSNET FOAM has been designed for cleaning vehicle bodywork and is particularly effective in removing mosquitoes, fuel marks, etc. It is recommended for daily washing of light vehicles.

Dosage : 4 to 5 % (in spraying)

Contact time: 3 to 5 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN050B00447	can	25 kg
TN050B00450	keg	220 kg



CLEAN CAR MOUSSE 052G0

FOAMING SHAMPOO FOR CAR WASH

CLEAN CAR MOUSSE has a highly concentrated composition for the foam arches of self-cleaning frames. In combination with compressed air and water, it produces a nice creamy foam that effectively cleans the vehicle. Its special components prevent lime and iron deposits. The results are remarkable. It can also be used as a shampoo. It contains a very pleasant fragrance that diffuses during.

Colour : Pale yellow

Odour : Lemon

Dosage : 15 to 20 g

Packaging :



REFERENCE	CONTAINING	PART
TN052G00448	can	25 kg

SUPAFOAM ACTIVE 05110

FOAMING DETERGENT

SUPAFOAM ACTIVE is a concentrated detergent shampoo for brush gantries to remove and clean efficiently all types of vehicle bodies (trucks, light vehicles...). Highly foaming and non-corrosive, it does not damage the bodywork during washing and is perfectly suited for high-pressure washing. It gives off a pleasant green apple fragrance when washing the vehicle. Suitable for use on food contact surfaces.

Dosage : 0,1 %

Colour : pale yellow

Odour : Green apple

contact time : 3 to 5 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN051100447	can	25 kg

SHAMP 052F4

PERFUMED FOAMING

A very foaming washing soap which allows to clean all the vehicles: PL, VL, motorcycle, bikeo.... Due to its versatility, it is suitable for use in low pressure, high pressure, brush track.... it leaves a shiny appearance on the bodywork and a pleasant scent when applied.

Colour : red

Temperature : 40°C

Dosage : 2-3% (spraying)

Packaging :



REFERENCE	CONTAINING	PART
TN052F400441	jerrycan	5 kg
TN052F400447	keg	25 kg
TN052F400450	keg	220 kg



FINISHES

RENOV JANT 02633

CONCENTRATED

Alkaline degreasing cleaner for the wheel rims of all vehicles. Effectively removes the dust from brake pads and the grease.

Suitable for brush gantries or high-pressure terminals. Application: spraying then 3 minutes of contact before brushing then HP rinsing.

Service temperature : 30°C Max

Dosage : 10 to 30 %

Contact time : 3 minutes

Packaging :



REFERENCE	CONTAINING	PART
TN026330441	jerrycan	5 kg
TN026330447	keg	25 kg
TN026330450	keg	260 kg

DRY 050C0

WATER REPELLENT

Solution specially designed to facilitate the rinsing and drying of car bodies. Allows a fast removal and avoids all water traces. Does not leave a chemical film on surfaces.

Packaging :



REFERENCE	CONTAINING	PART
TN050C00447	keg	22 kg
TN050C00450	keg	200 kg

PERLE 050F0

WATER-REPELLENT AGENT

TRANSNET PERLE is a highly concentrated water-repellent protective product ideal for the finishing stage on high-pressure lanes or gantry washes, producing a particularly meticulous finish. The results are excellent in facilities equipped with medium-power wind tunnels. TRANSNET PERLE contains no silicone and requires no post-treatment rinsing. The film of water is repelled and the treated surface then presents an invisible water-repellent skin.

Packaging :

REFERENCE	CONTAINING	PART
TN050F00447	can	25 Kg



SHINE 050E0

SELF-POLISHING WAX

TRANSNET SHINE wax can be used both on light vehicles and on heavy goods vehicles. In micro-emulsion in the aqueous phase, it is a combination of natural wax, cationic surfactants, totally free of silicone, hydrocarbon solvent or mineral oil. TRANSNET SHINE has been designed to give bodywork a glossy shine, enhance the shine of gloss paints and leave a protective film to preserve shine longer without damaging the surface.

Dosage : 100 %

Colour : Milky white

Packaging :

REFERENCE	CONTAINING	PART
TN050E00447	can	22 kg



SKIN 08070

SELF-POLISHING WAX

TRANSNET SHINE wax can be used both on light vehicles and on heavy goods vehicles. In micro-emulsion in the aqueous phase, it is a combination of natural wax, cationic surfactants, totally free of silicone, hydrocarbon solvent or mineral oil. TRANSNET SHINE has been designed to give bodywork a glossy shine, enhance the shine of gloss paints and leave a protective film to preserve shine longer without damaging the surface.

Dosage : 0,1 to 0,3 %

Colour : Milky white

Oudour : green apple

Packaging :

REFERENCE	CONTAINING	PART
TN080700447	can	25 Kg



SHINE DIAMANT 053E0

WAX FINSH

A highly concentrated, water-repellent and protective product offering a particularly polished finish. It contains no silicone or hydrocarbon solvent and has been designed to give bodywork a glossy shine that lasts.

Dosage : 100 %

Colour : pale yellow

Packaging :

REFERENCE	CONTAINING	PART
TN053E00447	can	22 l



HT WAX 0806

RINSING ADDITIVE

TRANSNET HT WAX is a truly water-repellent rinsing additive. TRANSNET HT WAX quickly removes the water before the drying stage thanks to a combination of cationic surfactants that modifies the surface tension of bodywork. It can be used in wash bays for bodywork maintenance, prevents the formation of white marks and optimizes water usage during rinsing. It is applied at the end of the cycle and optimizes the subsequent rinsing and drying phases.

Dosage : 100 %

Colour : Blue

Packaging :

REFERENCE	CONTAINING	PART
TN080610447	can	22 Kg





PRODUCTS FOR STATION MAINTENANCE

HT 2002 P+ 011PO

CONCENTRATED DESCALER

Ultra-concentrated ready-to-use acid renovator. Cleans equipment soiled by lime, chalk, cements, slag, etc. Suitable for low and high pressure.

Service temperature : 40°C

Dosage : 5 to 10%

Contact time : 5 to 10 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN011P00441	jerrycan	5 kg
TN011P00447	keg	25 kg



NOVAL C067

SUPER ACTIVE ALUMINIUM RENOVATEUR

Stripper, degreaser for all stainless steel and aluminium surfaces. Renovates without rubbing, removes dirt and restore the initial shine to aluminium and stainless steel. Descales, deoxidises weld seams, allows for passivation which favours subsequent application of paint if needed.

Service temperature : Ambient

Dosage : 30 to 100%

Contact time : 15 minutes

Packaging :

REFERENCE	CONTAINING	PART
C067/0005	jerrycan	5 l
C067/0060	keg	60 l
C067/0210	keg	210 l



DECACIM 01200

HCL-FREE BIODEGRADABLE CEMENT STRIPPER

Cement cleaner/stripper without hydrochloric, phosphoric, sulphuric, etc. acids Biodegradable, ready-to-use formula, non-corrosive for metals. Removes formwork oils and film residue, cement, concrete, etc...

Service temperature : 40°C

Dosage : 60 to 100 %

Colour : Pale yellow

Packaging :

REFERENCE	CONTAINING	PART
TN012000441	jerrycan	5 kg
TN012000447	keg	25 kg
TN012000450	keg	200 kg
TN012000483	tank	1000 kg



ACID 01032

DESCALING CLEANER

Acid descaler. High wetting power detergent.

Cleans the inside of aluminium and stainless steel tankers. Cleans aluminium wheel rims or varnished or painted wheel covers. Also removes deep dirt from boat hulls.

Dosage : 5 to 10 %

Colour : Colourless

Service temperature : 45°C

Time contact : 5 to 10 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN010320441	jerrycan	5 kg
TN010320446	keg	23 kg
TN010320450	keg	260 kg
TN010320483	tank	1300 kg



MECA D 05670

LOW-FOAMING MECHANICAL DEGREASER

Powerful descaling degreaser, can be used hot.

Non-foaming industrial alkaline product for machine shops. Effective on greasy floors, mechanical parts, removed engines, cleaning of wheel rims...

Service temperature : 50°C

Dosage : 5 to 10 %

Time contact : 5 to 10 minutes

Packaging :

REFERENCE	CONTAINING	PART
TN056700441	jerrycan	5 kg
TN056700447	keg	25 kg
TN056700451	keg	70 kg
TN056700450	keg	230 kg



ALGIFON 03025

REMOVAL OF LICHENS / ALGAE

TRANSNET ALFIGON is a highly-concentrated, highly wetting and non-corrosive product, designed to remove algae or lichens. It contains two active ingredients: Glutaraldehyde and Lauryl Dimethyl Ammonium Chloride kill the parasites present on the surfaces. The presence of an aldehyde combined with a quaternary ammonium compound gives it a very large activity spectrum.

Colour : Colourless

Packaging :

REFERENCE	CONTAINING	PART
N030250441	can	5 kg
TN030250447	can	23 kg



DETRUIMIXTE 05100

READY-TO-USE

Ready-to-use biocidal product for combating algae, lichens, etc. on all supports. Non-corrosive, highly wetting, allows any treated surface to be cleared quickly. Perfectly suitable for façades, roofs, dividing walls, statues, garden furniture, etc. made of plastics, stone, marble, glass, etc.

Service temperature : 15 to 40°C

Dosage : 100%

Packaging :

REFERENCE	CONTAINING	PART
TN051000441	jerrycan	5 kg
TN051000447	keg	23 kg



ICE MELT 907

ICE AND SNOW MELTER

Anti-ice, anti-snow: ICE MELT is used in workplaces, where pedestrians pass, vehicle access ramps (paths, thresholds, warehouse entrances, plant warehouses, stairs, cold rooms, etc.) Anti-humidity: ICE MELT is used for drying: basements, humid warehouses, secondary residences, etc.

Colour : White
Service temperature : -30°C
Consumption : 1 kg/ 7 to 10m²

Packaging :

REFERENCE	CONTAINING	PART
8907S2	bag	14 l
8907S5	bucket	25 kg
8907BB	bag	1 t



DEVERGLACANT 01300

LIQUID

TRANSNET DEVERGLACANT makes it possible to prevent the formation of ice, frost and snow on all supports: concrete, asphalt, glass, etc. It also has a curative action that facilitates defrosting and de-icing. Ecological, very easily biodegradable, TRANSNET DEVERGLACANT has a dual action: preventive and curative.

Dosage : 100%
Colour : light amber
Standard compliant : CE n° 648 / 2004
Packaging :

REFERENCE	CONTAINING	PART
TN013000489	Spray	750 ml
TN013000441	can	6 kg



TS 3274 05510

INDUSTRIAL FLOOR DETERGENT

Non-foaming natural solvent degreasing detergent. For concrete floors, resins, asphalt, tiling. Removes traces of rust left by forklift trucks, etc. Can be used manually, with a scrubber-dryer and HP. Leaves a lasting pleasant scent....

Service temperature : Ambient
Dosage : 5 to 10%
Time contact : 5 to 10 minutes
Colour : Whitish
Packaging :

REFERENCE	CONTAINING	PART
TN055100441	jerrycan	5 kg
TN055100447	keg	24 kg
TN055100450	keg	210 kg



FILL CRACK 904

REPAIR - PATCH

Self-levelling asphalt for repairing and patching holes and potholes on horizontal surfaces.

Service temperature : 5 to 35°C
Colour : Black
Packaging :

REFERENCE	CONTAINING	PART
890402	keg	25 kg



ABSORBANT TDD 935

TDD

ABSORBANT TDD is an inert product that is free of harmful materials. Its grain, thanks to its above-average specific surface, is comprised of a very large number of invisible pores that give it its high absorption power, it does not form any sludge after absorption.

Dosage : 75%
Colour : Red-brown
Standard compliant : AFNOR NF P 98-190
Packaging :

REFERENCE	CONTAINING	PART
8935H4	bag	20 kg



ABSOSOL R C653

NON-STAINING MINERAL ABSORBENT

ATTAPULGITE calcined at over 900 ° C, has excellent porosity which gives it a high absorbency. inert and highly resistant to abrasion, does not form sludge after absorption. Can be used to absorb hydrocarbons, fuels (gas oil, gasoline), oils, chemicals and water. Authorization of employment n° ABS.2001.04 delivered by the SETRA in conformity with the specifications of standard NF P 98-190

Dosage : NC
Colour : Brown
service temperature : Ambient
Packaging :

REFERENCE	CONTAINING	PART
653/0015	bucket	15 kg
653/0020	bag	20 kg



NEUTRAL ODOR 02360 ODOUR DESTROYER

TRANSNET NEUTRALODOR is an odour destroyer. It has a strong power for neutralising unpleasant smells. It was developed for destroying odours by acting through neutralising the odorous molecules at their source. It is highly effective for killing the odours that are in particular present inside refrigerated lorries, food tankers, garbage tips, storage areas for material in putrefaction or treatment plants, rendering plants, etc. After use, it leaves no odour. It is compliant for application on surfaces with food contact.

Dosage : 2 to 5%
Service temperature : Ambient
Concentration rate : 2 to 5%
Contact time : 5 to 10 minutes
Packaging :

REFERENCE	CONTAINING	PART
TN023600441	Jerrycan	5 kg
TN023600447	keg	24 kg
TN023600451	keg	62 kg




OD 0521 DEODORISING DETERGENT

TRANSNET OD is a deodorising detergent specially designed to hide odours. It is an air freshener, that masks and prevents the formation of unpleasant odours. It is highly effective for hiding smells that are present in particular in ashtrays, dirty carpets, passenger compartments of light vehicles or heavy goods vehicles, offices, reception halls, etc.

Service temperature : Ambient
Dosage : 2 to 3%
Contact time : Immediate
Packaging :

REFERENCE	CONTAINING	PART
TN052130489	bottle	250 ml
TN052100441	Jerrycan	4/5 kg
TN052100451	keg	50 kg



ANTITARTRE 04042 CLEANER / ANTI-SCALE

TRANSNET ANTITARTRE is a powerful descaling cleaner and is recommended for all waters with a TH greater than 10°. It is applied on the hot zones of high-pressure cleaners. It was specially developed for the maintaining and prevention of heat exchangers..

Dosage : 1 g/°TH/m3 (drop by drop)
Service temperature : Ambiente
Colour : Amber
Standard compliant : CE n° 648 / 2004
Packaging :

REFERENCE	CONTAINING	PART
TN040420440	can	1 kg
TN040420450	keg	250 kg



REDUCE 4 800 SUPER LUBRICANT

Super penetrating lubricant, rust reducer, with a fast and phosphate coating action.

odour : light
Standard compliant : AIMS 09-00-002 airbus – british aerospace/
BOEING D6-17487 R / SNCF 72100380

Packaging :

REFERENCE	CONTAINING	PART
280011	can	500 ml
280012	can metal	1 l
2800J1	jerrycan	5 l
2800U2	keg	200 l
4800A2	aerosol	405 ml tds
4800A5	aerosol	800 ml
4800A8	aerosol	270 ml tds



ORANGE CREME + 5802 HAND CLEANING CREAM

Orange extract cleaning creme, with plant-based surfactant and micronised pumice stone powder. For cleaning hands in the workshop as well as on the road, leaves the skin smooth and with a pleasant scent.

Colour : Orange
Odour : pleasant citrus scent
Standard compliant : NFT 73-101
Packaging :

REFERENCE	CONTAINING	PART
25802J1	jerrycan	5 l
25802 KE	box of 18 jerrycans	





CAR CARE PRODUCTS

JANT-NET 052Z2 READY-TO-USE WHEEL RIM CLEANER

Degreasing cleaner for wheel rims. Removes brake pad residue, road dirt, etc.

Service temperature : Ambiente
 Dosage : 100%
 Contact time : 3 to 5 minutes
 Packaging :

REFERENCE	CONTAINING	PART
TN052Z20489	pulvé	750 ml



VIT NET 05026 READY-TO-USE

Efficient degreasing cleaner, leaves no marks on surfaces. For cleaning windows and plastic surfaces. Spray and wipe with a clean cloth.

Service temperature : Ambient
 Dosage : 100%

Packaging :

REFERENCE	CONTAINING	PART
TN050260489	spray	750 ml



TOUT-NET SPRAY 0515

READY-TO-USE MULTIPURPOSE CLEANER

Multipurpose degreasing cleaner for all surfaces. Ready-to-use. Spray or spread on dirty surfaces then rinse. No-aggressive for surfaces.

Service temperature : Ambient

Dosage : 100%

Packaging :

REFERENCE	CONTAINING	PART
TN051520489	spray	750 ml
TN051520441	jerrycan	5 kg
TN051520447	keg	25 kg
TN051520451	keg	60 kg



LAVE GLACE 05750

GLASS / WINDSCREEN CLEANING

TRANSNET LAVE GLACE is intended for light vehicles as well as trucks. It acts quickly on glass and windscreens to remove insects, and facilitates sliding on the surfaces. Increases the quality of the cleaning without halos.

Service temperature : It can be applied down to -20°C

Dosage : - 3°C = 25% in water

- 8°C = 50% in water


- 15°C = 75% in water

Colour : Blue

Flash point : 27°C

Packaging :

REFERENCE	CONTAINING	PART
TN057500447	keg	21 kg
TN057500451	keg	60 kg
TN057500483	keg	950 kg



RENOV'PLASTIQUE 525

SILICONE FREE

Beautiful car interiors with RENOV'PLASTIQUE. It revives and brightens up all dashboards without polish, restoring their original freshness. Perfumed anti-dust product.

Colour : Orange

Packaging :

REFERENCE	CONTAINING	PART
4525A4	Aerosol	650 ml



POLYSTAR 593

MANUAL POLISH

A washing and waxing solution without water for bodywork, plastic, chromium, stainless steel... Leaves no marks, is antistatic and leaves a shiny anti-UV film. Removes dirt, greasy substances, tree sap, bird droppings, etc.

Service temperature : -5 to +30 °C

use : spray then use microfibre

Packaging :

REFERENCE	CONTAINING	PART
4593A5	aerosol	800 ml





EQUIPMENT

SPRAYER

MANUAL SPRAYER

Application of cleaning products, disinfectants, shampoo for vehicles, etc.

Packaging :

REFERENCE	PACKING	CAPACITY
TN1972PUL08090	sprayer LASER 2	1,5 l
TN113908090	sprayer LASER 8	5 l
TN1972G1008090	sprayer LASER 10	8 l



BRUSH BLACK BOOSTER TN1972DVG8090

Compressed air pressure adjustment integrated into the gun - Removable brush: prevents the dispersion of dirt during cleaning. New 360° elbow fitting for compressed air: even when connected, the gun can be set down on a worktop. Comfortable to use, the compressed air hose no longer folds. - New reinforced plug: double thread pitch, allows for the use of the container of the original gun or another other bottle with a 28/400 neck thread pitch. Recommended detergent: Transnet TOUT-NET

Pressure : 6,5 bar
Power : 5000 RPM



POMPE VIDE FÛT MAJOR

Manual polyethylene drum emptying pump. Suitable for transferring solvent, antifreeze, aqueous solutions, etc.

Packaging :

REFERENCE	PACKING
TN1102508090	100 ml



DILUTION

DOSATRON 0515 DOSAGE SYSTEM

Allows for precision dosage and the mixing of two liquids. Works without electricity because it uses the pressure of the water as a driving force. The concentrated product is sucked and dosed to the desired percentage and is then homogenised. The high precision of the dosage cancels any risk of overdosing because the latter is constant and proportional to the volume of water that passes through the doser (insensitive to variations in pressure and flow rate).



GRADUATED PITCHER LB 922460

1 graduated pitcher. Ideal for diluting products



TRANSLAV DV

Translav DV makes it possible to diffuse a pre-dosed product by spraying on the surfaces to be treated. Translav DV comes with a hose, lance and sprinkler bags.

TECHNICAL CHARACTERISTICS

Water supply pressure at the inlet of the device:

1.5 bar (minimum) 6 bar (maximum)

Maximum product suction height : 2 mètres.

Packaging :

REFERENCE	PACKING
TN1972DV08090	TRANSLAV DV FULL
TN1972DV48090	TRANSLAV BOX (without lance or horse)
TN1972DV18090	Telescopic lance 2 m with handle
TN1972DV78090	25 m Armed Hose



BRUSHWARE

SOFT WHEEL RIM BRUSH WITH WATER CHANNEL VIK545252

Particularly suitable for wheels of lorries, coaches, buses, etc.



OVAL BRUSH WITH WATER CHANNEL AR7080

Oval brush with water channel, 370 mm. This large brush is particularly suited for cleaning large vehicles. The density of the feathered fibres makes it even more effective. Rubber edges in order to prevent



RIGID WHEEL RIM BRUSH

VIK525352

Rigid wheel rim brush, 65 mm. Effective for cleaning aluminium wheel rims.



BRUSH WITH WATER CHANNEL TN524752

Brush with water channel, High/Low, 270 mm. The angle given to the body of the brush makes it possible to always remain in contact with the surface to be cleaned, even when cleaning at a height. Rubber edges in order to prevent any risk of impact. Suitable for use with all Vikan handles



HANDBRUSH WITH WATER CHANNEL VIK525452

Handbrush with water channel equipped with a Gardena connector. Ideal for small cleaning tasks.



ALUMINIUM TELESCOPIC HANDLE

7083

Aluminium ergonomic and telescopic handle, 2,800mm. Made from aluminium and robust anti-impact plastic which favours a good grip, this ergonomic handle allows for pleasant and functional use.



ALUMINIUM HANDLE WITH WATER CHANNEL

AR7082

Aluminium quick-connect ergonomic and telescopic handle with water channel, 2,840mm. Made from aluminium and robust anti-impact plastic which favours a good grip, this ergonomic handle allows for pleasant and functional use.



MURAL HOLDER 7010N

Holder available with full colour code. The holder can be extended by fastening a second holder to it. You can also change the location of the hooks and rubber clips. Easy to clean by simply disassembling the various parts. The rubber clip can receive tools with Ø25-35 mm.



OTHER

POWDER-FREE DISPOSABLE NITRILE GLOVES

83037

Single-use, ambidextrous, powder-free nitrile examination gloves. Latex free. Micro-roughened surface for a better grip of the instruments. Multi-hypoallergenic. Increased tactile sensitivity. Excellent chemical and puncture resistance. Ergonomics equal to latex. Recommended for people allergic to latex. CE standards - AQL 1.5.

Packaging :

REFERENCE	PACKING
83037TS	1 box of 100 gloves size S
83037TM	1 box of 100 gloves size M
83037TL	1 box of 100 gloves size L
83037TXL	1 box of 100 gloves size XL

POWDERED DISPOSABLE NITRILE GLOVES 83040

Powdered nitrile gloves made from butadiene nitrile meeting the requirements of the European Directive 89 / 686 / EEC PPE and certified in accordance with European standards EN420, EN388 and EN374.

Packaging :

REFERENCE	PACKING
83040TS	1 box of 100 gloves size S
83040TM	1 box of 100 gloves size M
83040TL	1 box of 100 gloves size L

INDIVIDUAL COVERALL

AR0109

HOP'SAFE SMS coveralls with PE membrane with hood. Waterproof and breathable membrane, lint-free coveralls. Resists tearing and abrasion well

Packaging :

REFERENCE	PACKING
0109-L	carton of 25 coveralls
AR0109-XL	carton of 25 coveralls
AR0109-XXL	carton of 25 coveralls



TRANSNET COVERALL TN185108090

Full coveralls providing protection when spraying. Tucked waist, removable sleeves, water-repellent treatment.

Packaging :

REFERENCE	PACKING
TN185108090	Size 60 XXL



CHAMOIS INDUSTRIAL REEL

2 PLY - 800 SIZES

2-ply chamois industrial reel
23 x 23 cm of 1500 sizes.

REFERENCE	PACKING
83114BOB	package of 2 coils

2 PLY - 800 SIZES

2-ply chamois industrial reel
23 x 23 cm of 800 sizes.

REFERENCE	PACKING
83115BOB	package of 2 coils

UNWINDER FOR REEL

UNWINDER ON STAND OF INDUSTRIAL REEL

Référence : 83146DI

Packaging : 1 unwinder

UNWINDER ON STAND OF INDUSTRIAL REEL

Référence : 83147DI

Packaging : 1 Unwinder

WHITE INDUSTRIAL REEL

2 PLIS - 1000 FORMATS

Industrial wiping spool, pure cotton,
2 smooth knurled plies - 21,3 x 30
cm.

REFERENCE	PACKING
83111EM	colis de 2 bobines

2 PLIS - 800 FORMATS

Industrial wiping spool, pure
wadding, 2 plies, 18 g / m² - 30,5 x
26 cm.

REFERENCE	PACKING
83111EM	colis de 2 bobines

2 PLIS - 450 FORMATS

Hand towels on a centerfeed reel,
pure wadding, 2 smooth knurled
plies. Inside diameter of the core
61,30 mm. Outside diameter of the
mandrel 19 mm

REFERENCE	PACKING
83111EM	colis de 2 bobines

INDEX

FAMILY	CODE	PRODUCT	PAGE
STATION MAINTENANCE	935	ABSORBANT TDD	9
STATION MAINTENANCE	C653	ABSOSOL R	9
STATION MAINTENANCE	01032	ACID	8
STATION MAINTENANCE	03025	ALGIFON	8
EQUIPMENT	AR7082	ALUMINIUM HANDLE WITH WATER CHANNEL	15
EQUIPMENT	7083	ALUMINIUM TELESCOPIC HANDLE	15
STATION MAINTENANCE	04042	ANTITARTRE	10
EQUIPMENT	TN524752	BRUSH WITH WATER CHANNEL	14
EQUIPMENT		BRUSH BLACK BOOSTER	13
EQUIPMENT	TN524752	BRUSH WITH WATER CHANNEL	14
EQUIPMENT		CHAMOIS INDUSTRIAL REEL	16
WASHING PRODUCTS	050D0	CLEAN	4
WASHING PRODUCTS		CLEAN MOUSSE	5
EQUIPMENT	AR01090	COVERHALL INDIVIDUELLE	15
EQUIPMENT	TN185108090	COVERHALL TRANSNET	15
STATION MAINTENANCE	01200	DECACIM	8
STATION MAINTENANCE	05100	DÉTRUIMIXTE	8
STATION MAINTENANCE	01300	DEVERGLACANT	9
EQUIPMENT	0515	DOSATRON	14
WASHING PRODUCTS	050C0	DRY	6
STATION MAINTENANCE	904	FILL CRACK	9
WASHING PRODUCTS		FOAM ACTIVE	5
WASHING PRODUCTS	050B0	FOAM	4
CARE CAR	C024	GLASSIL ORANGE	10
EQUIPMENT		GRADUATED PITCHER	14
STATION MAINTENANCE	011P0	HT 2002 P+	7
PRODUITS DE LAVAGE	0806	HT WAX	6
EQUIPMENT	VIK525452	HANDBRUSH WITH WATER CHANNEL	14
STATION MAINTENANCE	907	ICE MELT	9
CARE CAR	05222	JANT-NET	11
CARE CAR	05750	LAVE GLACE	12
STATION MAINTENANCE	05670	MECA D	8
STATION MAINTENANCE	02360	NEUTRALODOR	10
EQUIPMENT		NITRILE GLOVES	15
STATION MAINTENANCE	C067	NOVAL	7
CARE CAR	0521	OD	10
STATION MAINTENANCE	5802	ORANGE CRÈME +	10
EQUIPMENT	AR7080	OVAL BRUSH WITH WATER CHANNEL	14
WASHING PRODUCTS	C119	PERLE	6
WASHING PRODUCTS	05050	PLATINIUM	4
CARE CAR	593	POLYSTAR	12
EQUIPMENT		MAJOR DRUM EMPTYING PUMP	13
EQUIPMENT		MANUAL SPRAYER	13
EQUIPMENT	7010N	MURAL HOLDER	15
STATION MAINTENANCE	800	REDUCE 4	10
EQUIPMENT	VIK525352	RIGID WHEEL RIM BRUSH	14
WASHING PRODUCTS	02633	RENOV JANT	5
CARE CAR	525	RENOV'PLASTIQUE	12
WASHING PRODUCTS	05169	SCM	4
WASHING PRODUCTS	050E0	SHINE	6
WASHING PRODUCTS	052F4	SHAMP	5

FAMILY	CODE	PRODUCT	PAGE
WASHING PRODUCTS	053E0	SHINE DIAMANT	6
WASHING PRODUCTS	08070	SKIN	6
WASHING PRODUCTS	05210	SUPERBOX PO	3
WASHING PRODUCTS	053L0	SUPERBOX WP	3
WASHING PRODUCTS	050G0	SUPERCREAM	4
WASHING PRODUCTS	051Z0	SUPERCREAM BOX	4
EQUIPMENT	VIK545252	SOFT WHEEL RIM BRUSH WITH WATER CHANNEL	14
CARE CAR	0515	TOUT-NET SPRAY	12
EQUIPMENT		TRANSLAV DV	14
STATION MAINTENANCE	05510	TS 3274	9
EQUIPMENT		UNWINDER FOR REEL	16
CARE CAR	05026	VIT NET	11
EQUIPMENT		WHITE INDUSTRIAL REEL	16





 **TRANSNET**



ORAPI

CLEAN & PROTECT TOGETHER

Parc industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas - FRANCE

Tel. : +33 (0)4 74 40 20 25 - Fax : +33 (0)4 74 40 20 26

www.orapi-transnet.com