

## TRANSNET MECA SUP

### FOAMING DEGREASER

#### DESCRIPTION

MECA SUP is a foaming and strongly wetting alkaline degreaser which is formulated for the cleaning of soot, residues of combustion of hydrocarbons, etc ...

It is applicable to mechanical parts, frames, tarpaulins or bodywork.

It is able to remove the most stubborn stains thanks to its enhanced alkaline power.

MECA SUP is particularly effective against heavy soiling, animal, vegetable and mineral fats.

TRANSNET MECA SUP is compliant for an application on surfaces with food contact because it fulfills the specificities required by the decree of September 8th, 1999 modified by the decree of December 19th, 2013, concerning the products used for the cleaning of the surfaces that can come into contact with food, products and beverages for human and animal nutrition.

#### APPLICATION/INSTRUCTIONS FOR USE

- - concentration of 5 to 30% by spraying at low pressure.
- - in foam or gantry application for truckwash. Application time between 5 and 10 minutes.  
Optimal temperature: 40°C.  
At the end of the operation, rinse with high-pressure water (100 bar).

Test the corrosion resistance of certain paints (fragile, old, brushed, polished).



**TRANSNET – An ORAPI GROUP brand**

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas – FRANCE  
Tel. +33 (0)4 74 40 21 00 - Fax +33 (0)4 74 40 21 01 - [www.transnet-orapi.com](http://www.transnet-orapi.com)



1/2

ORAPI ® cannot know about every application for which the products are used nor their conditions of use. ORAPI ® cannot be held responsible: for the suitability of its products for a given use or specific purpose, for the methods of application over which it has no control. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case. The user of the product described in this technical data sheet is solely responsible for all measures required to protect people and property from hazards that may arise from the implementation and/or use of this product. Therefore, ORAPI ® renounces any implicit or explicit guarantees, including guarantees relating to marketability or suitability for a certain purpose, resulting from the sale or use of its products. In particular, ORAPI ® renounces any claims for incidental or consequential damages whatsoever, including financial operating losses.

## CHARACTERISTICS

Aspect: ..... Clear liquid  
 pH (undiluted product): ..... Not applicable  
 pH at 10 g/l: ..... 11.3 +/- 0.3  
 Density at 20°C: ..... 1.11/- 0.01 g/cm<sup>3</sup>  
 Freezing point: ..... - 3°C  
 Colour: ..... Pale yellow  
 Biodegradability: ..... >91%  
 DCO (pur): ..... 450 g/l

The surface agents used in the design of our products comply with biodegradability criteria as defined in EC regulation No. 648/2004 relating to detergents.

Unique Formula : UFI GM10-00X7-A00V-R48A

Food Agreement : NSF C1 : 154868

## PACKAGING



**5 kg**



**25 kg**



**230 kg**



**1100 kg**

## STORAGE

Store the product in a dry location in its original packaging.

To view the product's safety data sheet: [www.quickfds.com](http://www.quickfds.com) – access code TRA11



**TRANSNET – An ORAPI GROUP brand**

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas – FRANCE  
 Tel. +33 (0)4 74 40 21 00 - Fax +33 (0)4 74 40 21 01 - [www.transnet-orapi.com](http://www.transnet-orapi.com)



2/2

ORAPI® cannot know about every application for which the products are used nor their conditions of use. ORAPI® cannot be held responsible: for the suitability of its products for a given use or specific purpose, for the methods of application over which it has no control. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case. The user of the product described in this technical data sheet is solely responsible for all measures required to protect people and property from hazards that may arise from the implementation and/or use of this product. Therefore, ORAPI® renounces any implicit or explicit guarantees, including guarantees relating to marketability or suitability for a certain purpose, resulting from the sale or use of its products. In particular, ORAPI® renounces any claims for incidental or consequential damages whatsoever, including financial operating losses.

---

**TRANSNET – An ORAPI GROUP brand**

Parc Industriel de la Plaine de l'Ain - 225 allée des Cèdres - 01150 Saint-Vulbas – FRANCE  
Tel. +33 (0)4 74 40 21 00 - Fax +33 (0)4 74 40 21 01 - [www.transnet-orapi.com](http://www.transnet-orapi.com)

**3/2**

ORAPI ® cannot know about every application for which the products are used nor their conditions of use. ORAPI ® cannot be held responsible: for the suitability of its products for a given use or specific purpose, for the methods of application over which it has no control. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case. The user of the product described in this technical data sheet is solely responsible for all measures required to protect people and property from hazards that may arise from the implementation and/or use of this product. Therefore, ORAPI ® renounces any implicit or explicit guarantees, including guarantees relating to marketability or suitability for a certain purpose, resulting from the sale or use of its products. In particular, ORAPI ® renounces any claims for incidental or consequential damages whatsoever, including financial operating losses.